





Biscal State Steel Howards State Steel Howards Steel Howar

FLAT NO: 1-3 Type : 2BHK Facing : North

FLAT NO: 4-6 Type : 2BHK Facing : East





FLAT NO: 7

Type : 2BHK Facing : South

FLAT NO: 8-10

Type : 2BHK Facing : East



SALIENT FEATURES & **AMENITIES**

- Contemporary, new age architecture Grand entrance Salient Features & Amenities
- STP
- Cover car parking & Mechanical Parking
- Elevators
- Corporation Drinking Water
- Safe Gated Community
- CCTV Security across common area100% power backup for all common area











Power Backup for Common Amenities

SPECIFICATIONS

STRUCTURE

R.C.C. Framed structure AAC Block masonry with plastering

DOORS

Entrance Door: Engineered solid wooden doors and frames

Hardware: Stainless steel hardware fittings All other doors: Country wood door frames, membrane pressed paneled shutters with Paint finish

Toilet Doors: Sintex door with PVC door Hardware: Stainless steel hardware fittings

WINDOWS

UPVC Windows MS Grills

FLOORING

Floor: Vitrified tiles of standard make and shade approved by the architect

Skirting: 4"height vitrified tiles (same color as flooring)

KITCHEN & UTILITY

Counter: Black Granite

Sink: Stainless steel sink (Single bowl) Dado: Ceramic tiles up to 4'0" height from

counter top

BATHROOMS

Floor: Antiskid ceramic tiles Walls: Glazed tiles upto door height

CP Fittings: Hot & cold-water mixer,

ablution tap etc

Sanitary Fixtures & Fittings

White colour wall mounted European closest and 18" circular/ovel wash basin, good quality

Chromium plated fittings

PLUMBING

Concealed PVC piping for cold water and CPVC piping for hot water line. All internal pipes concealed and external open

PAINTING

Internal Walls: Two coated of putty and one coat of primer. Two coats of white emulsion

External Walls: One coat of white cement primer and two coats of exterior emulsion (Architect

approved colour)

Grills: One coat of primer and two coats of enamel (Architect approved colour)

ELECTRICAL

Three phase power supply through individual DB & ELCB

Wiring: Concealed wiring of standard IS-specified make

Switches: Modular switches of standard IS-specified make with backup power supply of 500 watts from common generator

TERRACE

Weathering course with grano concreting and finishing with cooling tiles

WATER SUPPLY

Softened water supply to kitchen and adequate storage for the entire through borewell for all other requirements

SEWAGE DISPOSAL

Common STP. Treated water will be recycle


STAIRCASE

Tread and Risers: Granite

Hand Rail: S.S hand rail of architect approved

BALCONY PARAPET WALL

3' height from floor levels as per architect's design All colours and design shall be as per architect's choice and approval



In Proximity

Avinashi Road - 7 kms / Airport - 7 kms / Saravanampatti - 3.8 kms / NGP Institution - 3 kms / KMCH - 7.2 kms / Prozone Mall - 5.8 kms / SVB Tech Park - 3.6 kms / Lemon Tree Hotel - 600 ms / SNS College of Technology - 4.9 kms / Fun Republic Mall - 9 kms / Chandramari International School - 1.1 kms / PSG Institute of Technology - 9.5 kms / Kumaraguru College of Technology - 5.5 kms / Tidel Park - 6.5 kms

FOR BOOKING CONTACT 70922 11222 / 74189 37222



Corporate Office:

Greenfields Housing India Pvt Ltd., No 14/15 A1, Sitra road, Kalapati, Near Devapaul Superamarket, Coimbatore-641048



Scan the QR Code to see the Location Map